



Product Service

Attestation of Conformity

No. N8A 070321 0096 Rev. 02

Model(s):

TSM-xxxDE14A(II), TSM-xxxDE14A.08(II),
TSM-xxxDE14A.09(II), TSM-xxxDE14A.10(II),
TSM-xxxDE14A.18(II) (xxx=280-385);
TSM-xxxDE05A(II), TSM-xxxDE05A.08(II),
TSM-xxxDE05A.09(II), TSM-xxxDE05A.10(II),
TSM-xxxDE05A.18(II), TSM-xxxDE05A.50(II) (xxx=230-325);
TSM-xxxDE15A(II), TSM-xxxDE15A.08(II),
TSM-xxxDE15A.09(II), TSM-xxxDE15A.10(II),
TSM-xxxDE15A.18(II) (xxx=280-385);
TSM-xxxDE06A(II), TSM-xxxDE06A.08(II),
TSM-xxxDE06A.09(II), TSM-xxxDE06A.10(II),
TSM-xxxDE06A.18(II), TSM-xxxDE06A.50(II) (xxx=230-325);
TSM-xxxDE14H(II), TSM-xxxDE14H.08(II),
TSM-xxxDE14H.09(II), TSM-xxxDE14H.10(II),
TSM-xxxDE14H.18(II), (xxx=335-405);
TSM-xxxDE05H(II), TSM-xxxDE05H.08(II),
TSM-xxxDE05H.09(II), TSM-xxxDE05H.10(II),
TSM-xxxDE05H.18(II), TSM-xxxDE05H.50(II) (xxx=275-335);
TSM-xxxDE05HB(II), TSM-xxxDE05HB.08(II),
TSM-xxxDE05HB.09(II) (xxx=275-335);
TSM-xxxDE15H(II), TSM-xxxDE15H.08(II),
TSM-xxxDE15H.09(II), TSM-xxxDE15H.10(II),
TSM-xxxDE15H.18(II), (xxx=335-420);
TSM-xxxDE06H(II), TSM-xxxDE06H.08(II),
TSM-xxxDE06H.09(II), TSM-xxxDE06H.10(II),
TSM-xxxDE06H.18(II), TSM-xxxDE06H.50(II) (xxx=275-345);
TSM-xxxDE06HB(II), TSM-xxxDE06HB.08(II),
TSM-xxxDE06HB.09(II) (xxx=275-345);
TSM-xxxDE15M(II), TSM-xxxDE15M.08(II),
TSM-xxxDE15M.09(II), TSM-xxxDE15M.10(II),
TSM-xxxDE15M.18(II), (xxx=335-420);
TSM-xxxDE06M(II), TSM-xxxDE06M.08(II),
TSM-xxxDE06M.09(II), TSM-xxxDE06M.10(II),
TSM-xxxDE06M.18(II), TSM-xxxDE06M.50(II) (xxx=275-345);
TSM-xxxPE14A, TSM-xxxPE14A.08, TSM-xxxPE14A.09,
TSM-xxxPE14A.10, TSM-xxxPE14A.18 (xxx=290-345);
TSM-xxxPE14A(II), TSM-xxxPE14A.08(II),
TSM-xxxPE14A.09(II), TSM-xxxPE14A.10(II),
TSM-xxxPE14A.18(II) (xxx=300-360);
TSM-xxxPE05A, TSM-xxxPE05A.08, TSM-xxxPE05A.09,
TSM-xxxPE05A.10, TSM-xxxPE05A.18,
TSM-xxxPE05A.50 (xxx=240-290);
TSM-xxxPE05A(II), TSM-xxxPE05A.08(II),
TSM-xxxPE05A.09(II), TSM-xxxPE05A.10(II),
TSM-xxxPE05A.18(II), TSM-xxxPE05A.50(II) (xxx=260-300);
TSM-xxxPE15A, TSM-xxxPE15A.08, TSM-xxxPE15A.09,
TSM-xxxPE15A.10, TSM-xxxPE15A.18 (xxx=290-345);
TSM-xxxPE15A(II), TSM-xxxPE15A.08(II),
TSM-xxxPE15A.09(II), TSM-xxxPE15A.10(II),
TSM-xxxPE15A.18(II) (xxx=300-360);
TSM-xxxPE06A, TSM-xxxPE06A.08,
TSM-xxxPE06A.09, TSM-xxxPE06A.10,
TSM-xxxPE06A.18, TSM-xxxPE06A.50 (xxx=240-290);
TSM-xxxPE06A(II), TSM-xxxPE06A.08(II),
TSM-xxxPE06A.09(II), TSM-xxxPE06A.10(II),
TSM-xxxPE06A.18(II), TSM-xxxPE06A.50(II) (xxx=260-300);
TSM-xxxPE14H, TSM-xxxPE14H.08,

Page 2 of 6

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. N8A 070321 0096 Rev. 02

TSM-xxxPE14H.09, TSM-xxxPE14H.10,
 TSM-xxxPE14H.18 (xxx=305-365);
 TSM-xxxPE14H(II), TSM-xxxPE14H.08(II),
 TSM-xxxPE14H.09(II), TSM-xxxPE14H.10(II),
 TSM-xxxPE14H.18(II) (xxx=305-365);
 TSM-xxxPE05H, TSM-xxxPE05H.08,
 TSM-xxxPE05H.09, TSM-xxxPE05H.10,
 TSM-xxxPE05H.18, TSM-xxxPE05H.50 (xxx=250-300);
 TSM-xxxPE05H(II), TSM-xxxPE05H.08(II),
 TSM-xxxPE05H.09(II), TSM-xxxPE05H.10(II),
 TSM-xxxPE05H.18(II), TSM-xxxPE05H.50(II) (xxx=250-300);
 TSM-xxxPE05HB, TSM-xxxPE05HB.08,
 TSM-xxxPE05HB.09 (xxx=250-300);
 TSM-xxxPE05HB(II), TSM-xxxPE05HB.08(II),
 TSM-xxxPE05HB.09(II) (xxx=250-300);
 TSM-xxxPE15H, TSM-xxxPE15H.08, TSM-xxxPE15H.09,
 TSM-xxxPE15H.10, TSM-xxxPE15H.18 (xxx=305-365);
 TSM-xxxPE15H(II), TSM-xxxPE15H.08(II),
 TSM-xxxPE15H.09(II), TSM-xxxPE15H.10(II),
 TSM-xxxPE15H.18(II) (xxx=305-365);
 TSM-xxxPE06H, TSM-xxxPE06H.08,
 TSM-xxxPE06H.09, TSM-xxxPE06H.10,
 TSM-xxxPE06H.18, TSM-xxxPE06H.50 (xxx=250-300);
 TSM-xxxPE06H(II), TSM-xxxPE06H.08(II),
 TSM-xxxPE06H.09(II), TSM-xxxPE06H.10(II),
 TSM-xxxPE06H.18(II), TSM-xxxPE06H.50(II) (xxx=250-300);
 TSM-xxxPE06HB, TSM-xxxPE06HB.08,
 TSM-xxxPE06HB.09 (xxx=250-300);
 TSM-xxxPE06HB(II), TSM-xxxPE06HB.08(II),
 TSM-xxxPE06HB.09(II) (xxx=250-300);
 TSM-xxxPE15M, TSM-xxxPE15M.08,
 TSM-xxxPE15M.09, TSM-xxxPE15M.10,
 TSM-xxxPE15M.18 (xxx=305-365);
 TSM-xxxPE15M(II), TSM-xxxPE15M.08(II),
 TSM-xxxPE15M.09(II), TSM-xxxPE15M.10(II),
 TSM-xxxPE15M.18(II) (xxx=305-365);
 TSM-xxxPE06M, TSM-xxxPE06M.08,
 TSM-xxxPE06M.09, TSM-xxxPE06M.10,
 TSM-xxxPE06M.18, TSM-xxxPE06M.50 (xxx=250-300);
 TSM-xxxPE06M(II), TSM-xxxPE06M.08(II),
 TSM-xxxPE06M.09(II), TSM-xxxPE06M.10(II),
 TSM-xxxPE06M.18(II), TSM-xxxPE06M.50(II) (xxx=250-300)

xxx: in steps of 5

Parameters:

| | |
|----------------------------|--|
| Rated output power at STC: | see below table |
| Application class: | Class A |
| Max. system voltage: | 1500 V d.c. |
| Construction: | Framed, with Junction box, Cable and Connectors |

Page 3 of 6

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

